


# GRACE Science Data System Monthly Report

## March 2015



Prepared by:  
Frank Flechtner      GFZ      flechtne@gfz-potsdam.de

Contributions by:  
Srinivas Bettadpur      UTCSR      srinivas@csr.utexas.edu  
Mike Watkins      JPL      michael.m.watkins@jpl.nasa.gov  
Gerhard Kruizinga      JPL      gerhard.kruizinga@jpl.nasa.gov

Approved by:  
Byron Tapley      UTCSR      tapley@csr.utexas.edu

### Highlights:

- A 2-days orbit repeat cycle caused problems to calculate nominal Level-2 products for March 2015 (see also newsletters of January and February 2015 and GRACE ground track plots available at <http://www.gfz-potsdam.de/en/grace>). The SDS has worked on solution stabilization strategies resulting in the products as described in the following.
- CSR has generated and delivered following RL05 Level-2 products for March 2015 (Please refer to the corresponding notes on the CSR website and to the CSR L2 Release Notes):
  - A standard 60x60 solution where more aggressive than normal post-processing may be required.
  - Additionally, a deviant 60x30 product for experimental use is provided too.
  - No 96x96 solution will be generated and delivered.
- GFZ has generated and delivered following RL05a Level-2 products for March 2015 (see also GFZ L2 Release Notes):
  - A standard 90x90 solution where more aggressive than normal post-processing may be required.
  - Additionally, a deviant 90x30 product for experimental use is provided too.
- JPL has generated and delivered following RL05.1 Level-2 products for March 2015 (see also JPL L2 Release Notes):
  - A standard 60x60 solution where more aggressive than normal post-processing may be required.
- The next GRACE Science Team Meeting is scheduled for September 21-23, 2015 in Austin. Further information will follow on the GSTM website at CSR at <http://www.csr.utexas.edu/grace/GSTM/>.

### **Satellite Science Relevant Events:**

- Operations in Science Mode throughout the month except for the periods highlighted in the L1B Data Processing section below.
- The actual mission status can be monitored at [http://www.csr.utexas.edu/grace/operations/mission\\_status/](http://www.csr.utexas.edu/grace/operations/mission_status/).
- The GRACE-1 Brouwer mean orbital elements on March 31, 2015 00:00:00 are as follows:  
A [m] = 6769902.806  
E [-] = 0.001131  
I [°] = 88.991629
- The satellites separation was 255,8 km on March 31, 2015 with a rate of -0,80 km/d. The next orbit maneuver will be needed end of May.

### **Level-0 raw data dump reception statistics at DLR ground stations Weilheim and Neustrelitz:**

GRACE-A Housekeeping:	100.0 %	GRACE-B Housekeeping:	100.0 %
GRACE-A Science:	100.0 %	GRACE-B Science:	100.0 %

### **Level-1 Data Processing:**

- Level-1B Release 02 instrument data have been processed at JPL and archived at GFZ ISDC and JPL PO.DAAC. Please refer to the statistics below.
- RL02 Notes:
  - On 2015-03-04 both GRACE-A and GRACE-B satellites executed 61° yaw turns to discharge the batteries during the full sun period. The turns started at 01:58 UTC and ended at 03:16 UTC. No KBR measurements during this interval.
  - On 2015-03-13 GRACE-B the Ka-band phase data is missing from 06:19:14 UTC till 06:50:24 UTC
  - On 2015-03-17 both GRACE-A and GRACE-B experienced unusually large drag. But orbit determination requirements were still met.
  - KBR statistics:
    - A) KBR1B product name
    - B) Total arc length with data (hours)
    - C) Number of observations used in residual calculation
    - D) KBR-GPS range residual RMS (cm)

E) minimum KBR-GPS range residual (cm)

F) maximum KBR-GPS range residual (cm)

G) number of continuous segments in the KBR product

	A	B	C	D	E	F	G
KBR1B_2015-03-01_X_02.dat	24.0	17176	0.59	-3.6	2.6	1	
KBR1B_2015-03-02_X_02.dat	24.0	17280	1.04	-4.6	6.4	1	
KBR1B_2015-03-03_X_02.dat	24.0	17280	0.44	-1.6	2.0	1	
KBR1B_2015-03-04_X_02.dat	22.8	16425	0.78	-2.7	3.2	2	
KBR1B_2015-03-05_X_02.dat	24.0	17280	0.71	-1.9	4.6	1	
KBR1B_2015-03-06_X_02.dat	24.0	17280	0.81	-5.8	2.4	1	
KBR1B_2015-03-07_X_02.dat	24.0	17280	0.68	-2.6	3.1	1	
KBR1B_2015-03-08_X_02.dat	24.0	17280	1.08	-6.3	2.7	1	
KBR1B_2015-03-09_X_02.dat	24.0	17280	0.74	-3.2	3.7	1	
KBR1B_2015-03-10_X_02.dat	24.0	17280	1.04	-5.4	4.4	1	
KBR1B_2015-03-11_X_02.dat	24.0	17280	0.45	-1.8	1.9	1	
KBR1B_2015-03-12_X_02.dat	23.8	17145	0.81	-2.9	3.6	2	
KBR1B_2015-03-13_X_02.dat	23.5	16886	0.98	-1.6	5.9	2	
KBR1B_2015-03-14_X_02.dat	24.0	17280	0.92	-4.9	2.9	1	
KBR1B_2015-03-15_X_02.dat	23.8	17145	0.37	-1.3	1.5	2	
KBR1B_2015-03-16_X_02.dat	24.0	17280	0.85	-5.9	3.6	1	
KBR1B_2015-03-17_X_02.dat	23.6	16966	1.10	-5.1	3.8	3	
KBR1B_2015-03-18_X_02.dat	24.0	17280	1.10	-3.0	5.3	1	
KBR1B_2015-03-19_X_02.dat	24.0	17259	0.48	-1.2	2.3	2	
KBR1B_2015-03-20_X_02.dat	23.8	17167	0.89	-1.6	6.6	4	
KBR1B_2015-03-20_X_02.dat	23.8	17167	0.89	-1.6	6.6	4	
KBR1B_2015-03-21_X_02.dat	24.0	17266	0.44	-1.5	1.5	2	
KBR1B_2015-03-22_X_02.dat	24.0	17254	0.48	-2.9	1.5	2	
KBR1B_2015-03-23_X_02.dat	23.9	17244	0.73	-2.7	2.6	3	
KBR1B_2015-03-24_X_02.dat	24.0	17280	0.68	-2.2	2.9	1	
KBR1B_2015-03-25_X_02.dat	24.0	17258	0.56	-4.0	1.7	2	
KBR1B_2015-03-26_X_02.dat	24.0	17256	1.10	-3.2	6.7	2	
KBR1B_2015-03-27_X_02.dat	23.8	17145	0.61	-2.0	3.5	2	
KBR1B_2015-03-28_X_02.dat	24.0	17280	0.74	-4.6	2.7	1	
KBR1B_2015-03-29_X_02.dat	23.9	17203	0.91	-2.2	6.0	2	
KBR1B_2015-03-30_X_02.dat	24.0	17280	0.77	-3.5	4.3	1	
KBR1B_2015-03-31_X_02.dat	24.0	17280	0.64	-1.9	3.1	1	

Following JPL RL02 L1B products are publicly available (green). June and July 2002 and June 2003 (red) are not provided due to accelerometer problems. For several months a significant number of Level-1 data is not available (blue): January and June 2011 (accelerometer data), May and October 2012, March and August 2013 (accelerometer and K-Band data), January and February 2014 (K-Band data), July and December 2014 (accelerometer and K-Band data). RL00 and RL01 production has stopped with December 2004 and April 2012, respectively. See also corresponding newsletters.

L1B data	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2002												
2003												
2004												
2005												
2006												
2007												
2008												
2009												
2010												
2011												
2012												
2013												
2014												
2015												

- The L1B Read software has been updated to accommodate 64-bit machines but the software will also work on 32 bit machines. Please change RELEASE\_2008-03-20 to RELEASE\_2010-03-31 available at <ftp://podaac.jpl.nasa.gov/allData/grace/sw/>.
- Level-1B Release 01 generation has stopped with 30 April 2012.
- L1B De-aliasing Products Status (for details see AOD1B Product Description Document):
  - Release 01: Generation has been stopped June 30, 2007.
  - Release 03: Generation has been stopped January 31, 2007.
  - Release 04: Generated until April 30, 2012 and extended to 1976-2000 (see newsletter for December 2008). Generation has been stopped April 30, 2012.
  - Release 05: Generated for 1 January 1979 till 11 May 2015. **The data for the period 25 June 2013 till 27 July 2014 have been reprocessed (see Newsletter August 2014) and substituted in the archives.** The reprocessed products can be recognized by a processing time stamp later than 26 August 2014 in the header. Further information is available at <http://www.gfz-potsdam.de/AOD1B>.
  - Following AOD1B products are publicly available (yellow: RL01, RL03 and RL04; green: RL01 and RL04, blue: RL04 only, 'x' RL05):



Additionally to the standard monthly solutions, GFZ also provides weekly RL05a solutions (aligned to GPS weeks) which contain spherical harmonic coefficients complete up to degree and order 30. Currently, available weekly solutions cover the time span from 2003/01/05 till 2013/07/28. The weekly Level-2 products (GSM + GAX files) can be downloaded at ISDC and PO.DAAC. When making your request at the ISDC retrieval pages, please choose “GFZ Potsdam weekly” as “Processing Facility” to obtain these products. At the PO.DAAC archive, they can be found in the directory “allData/grace/L2/GFZ/RL05\_WEEKLY”. Weekly products can be identified by the string “GW30” instead of “G---“ in the product name.

- **CSR RL05:** GSM solutions for maximum degree and order 60 (incl. calibrated errors GSM\*.txt) and 96 (except for January till March 2015) along with the GAC and GAD background model files are available for the period April 2002 until March 2015. **Products for June 2013 till July 2014 have been reprocessed and replaced in the archives (see August 2014 Newsletter).** Further details are listed in the CSR L2 Release Notes. Ongoing updates on CSR RL05 are provided at <http://www.csr.utexas.edu/grace/RL05.html>.

CSR RL05	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2002												
2003												
2004												
2005												
2006												
2007												
2008												
2009												
2010												
2011												
2012												
2013												
2014												
2015												

- **JPL RL05.1:** GSM solutions along with the GAA, GAB, GAC and GAD background model files and calibrated errors (GSM\*.txt) are available for the period April 2002 until March 2015. Details are listed in the JPL L2 Release Notes. **For new release RL05.1 see also comments in the August 2014 Newsletter.**

JPL RL05.1	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
2002												
2003												
2004												
2005												
2006												
2007												
2008												
2009												
2010												
2011												
2012												
2013												
2014												
2015												

- GFZ has stopped RL05 processing end of July 2013 (now substituted by RL05a). For further details see Newsletter October 2013.
- JPL has stopped RL05 processing end of June 2014 (now substituted by RL05.1). For further details see Newsletter August 2014.
- GFZ and CSR have stopped RL04 processing end of April 2012
- JPL has stopped RL04 processing end of January 2012
- GFZ has stopped RL03 processing (Feb 2003 until Jan 2007 available at the archives. For further details refer to the GFZ RL03 release notes for Level-2 products).
- CSR has stopped RL01 processing. (Apr. 2002 until Dec 2006 available at the archives. For further details refer to the CSR RL01 release notes for Level-2 products).
- JPL has stopped RL02 processing (January 2003 until November 2005 available at the archives. For further details refer to the JPL RL02 release notes for Level-2 products).
- TN05/TN07 containing C20 estimates derived from SLR and using GRACE RL04/RL05 standards is periodically updated.

#### Miscellaneous:

- The proceedings of the 2014 GRACE Science Team Meeting, which took place at GFZ in Potsdam between September 29 and October 1, are available at <http://www.gfz-potsdam.de/grace/gstm/gstm-2014>.
- Lecture material from the 2011 and 2014 summer schools of the DFG Special Priority Program "Mass transport and mass distribution in the system Earth" can be downloaded at [www.massentransporte.de](http://www.massentransporte.de). Before using, please read the agreements on the cover page.
- The following acknowledgement shall be added to any new GRACE related publication (paper, poster etc.): *Acknowledgement: We would like to thank the German Space Operations Center (GSOC) of the German Aerospace Center (DLR) for providing continuously and nearly 100% of the raw telemetry data of the twin GRACE satellites.*

- A list of GRACE related publications which can be sorted by author or date is available at <http://www.gfz-potsdam.de/en/section/globalgeomonitoringandgravityfield/topics/development-operation-and-analysis-of-gravity-field-satellite-missions/grace/grace-related-publications/>, alternatively the list can be accessed via <http://www.gfz-potsdam.de/en/grace> and one further click on 'GRACE related publications' in the left column. The current status is 1335 papers. This list may be still incomplete. If you are missing a publication please send an e-mail to Frank Flechtner (flechtne@gfz-potsdam.de).
- Science data users are encouraged to submit citations of their own and other works related with GRACE to the bibliography web page implemented at PO.DAAC: <http://podaac.jpl.nasa.gov/grace/bibliography.html>.